17 x 27 x x 22 x

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-54 Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)	
JPR151V5FE54	2.5	(151)	Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel Injection)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.25	2.5	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ay of July, 1987.

K. D. Drachand, Chief
Mobile Source Division

Dr.Ing.h.c.F. PORSCHE Aktiengesellschaft 7000 Stuttgart iSection 17.00.00.00 SECTION FOR CALIFORNIA (Cont.) PAGE NO.:17.04-02 TENGINE FAMILY: JPR 151 V5FE54 ENGINE CODE: A11 DATE: 04.20.1987 IRUMNING CH. NO.: REVISION DATE: E.D. # A-19-54 _Page_1_ AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET 1988 Engine Family JPR 151 V5FE54 Manufacturer PORSCHE Evap. Family H and K Engine Type L - 4 Liters (CID) 2.5 (151) **ABBREVIATIONS** Ignition System Exhaust Emission Control Special Features CA-Centrif. Advance AIP-Air Injection pump CCV-Combustion Chamb. Valve AIV-Air Injection Valve EEC-Electronic Eng. Control CFI-Central Fuel | EI-Electronic Igni. CL-Closed Loop ESAC-Elect. Spark EGR-Exhaust Gas Recirc. Injection Advance Contr. EM-Engine Modification DID-Diesel Inj.-! OC-Oxidation Cat. Syst. Direct VA-Vacuum Advance VR-Vacuum Retard SPL-Smoke Puff Limiter DIP-Diesel Inj. - | or throttle delay TOC-Trap Oxidizer, Cont. Prechamber TOP-Trap Oxidizer, Period. TR-Thermal Reactor EFI-Electr. Fuel TWC-Three-Way Cat. System Injection **WUOC**-Warm-Up Ox. Catalyst IC-Intercooler Fuel_System **WUTWC**-Warm-Up 3-way Cat. /aftercooler MFI-Mechanical Fuel Inject. CFI, CL, DID, DIP, EFI, MFI **OBD**-On-Board nV-nVenturi Carburetor Diagnostics TC-Turbocharger Vehicle Models: 924 S 944

Engine: Front Mid. Rear Part Time Part Time

Comments:

See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. if two test weights are listed, the lower weight will be used for testing.